

PORT OF WEIPA

# ▶ INDEPENDENT REVIEW

**Port of Weipa Sustainable Sediment  
Management assessment for  
maintaining navigational infrastructure**



**DAMCO CONSULTING PTY LTD**  
ACN: 639 561 649  
ABN: 97 551 569 447  
Address: 78 Meriwa Street  
Nedlands WA 6009, Australia  
T +61 467 777 322  
E-mail: [paul.erftemeijer@uwa.edu.au](mailto:paul.erftemeijer@uwa.edu.au)  
Website: [www.damcoconsulting.com](http://www.damcoconsulting.com)

Perth, 21 August 2020

Attn: Kevin Kane  
Director Environment  
North Queensland Bulk Ports Corporation  
PO Box 3340  
North Mackay QLD 4740  
Australia

**Peer Review of the Weipa / Amrun Sustainable Sediment Management (SSM) Project Reports**

Hi Kevin,

Earlier this year (in January 2020), I conducted an independent peer review of fourteen project reports that constitute the outcome of the Weipa / Amrun Sustainable Sediment Management (SSM) Project. My review focused on the technical aspects of the project reports, including an evaluation of their strengths, weaknesses and omissions. I presented the outcome of my peer review in a technical report that included 8 general comments and 91 detailed comments on the various SSM project reports.

You subsequently responded to my review in a detailed 'Peer Review Comments Response Table' (received on 12 August 2020) that specifies how the various comments and suggestions of my review have been addressed. You also provided me with the final versions of two project reports that had not yet been finalised at the time of my review (on onshore pond/reclamation options and associated costs).

I have now gone through all of your responses and report revisions. On the basis of the above, I acknowledge that I am satisfied with the way in which you have responded to my review comments and incorporated my suggestions in revised versions of project documents. I consider the work concerning sustainable sediment management at the ports of Weipa and Amrun to have been undertaken thoroughly, to a high technical level and in line with best industry practice. In conclusion, I confirm that the work detailed in the fourteen reports that I have reviewed is acceptable for its intended purpose.

Yours sincerely,

**Dr Paul L.A. Erfemeijer**

Mobile: 0467 777 322  
E-mail: [paul.erftemeijer@uwa.edu.au](mailto:paul.erftemeijer@uwa.edu.au)